



Tungsten Carbide
Instruments



30

PAGE 407 TO 413

www.humcorp.com

Scissors with Tungsten Carbide Inserts



Instruments with Tungsten Carbide Inserts

TC GOLD




STANDARD
30-101 to 30-106



30-101	14.5 cm	30-104
30-102	16 cm	30-105
30-103	18 cm	30-106
Straight		Curved




STANDARD
30-107 to 30-112



30-107	14.5 cm	30-110
30-108	16 cm	30-111
30-109	18 cm	30-112
Straight		Curved




STANDARD
30-113 to 30-118



30-113	14.5 cm	30-116
30-114	16 cm	30-117
30-115	18 cm	30-118
Straight		Curved



MAYO
30-119 to 30-124



30-119	14.5 cm	30-122
30-120	17 cm	30-123
30-121	23 cm	30-124
Straight		Curved



MAYO-LEXER
30-125 to 30-126
16 cm



30-125	30-126
Straight	Curved




METZENBAUM
30-127 to 30-133



- 30-127 14.5 cm
- 30-128 18 cm
- 30-129 20 cm
- 30-130 23 cm
- 30-131 25 cm
- 30-132 28 cm
- 30-133 30 cm

Curved



- 30-134 10 cm
- 30-135 12 cm


Straight



METZENBAUM
30-134 to 30-137

- 30-136 10 cm
- 30-137 12 cm

Curved



IRIS
30-138 to 30-139

- 30-138 Straight
- 30-139 Curved

11.5 cm

Instruments with Tungsten Carbide Inserts

TC GOLD




- 30-140 14 cm
- 30-141 16 cm
- 30-142 18 cm
- 30-143 20 cm
- 30-144 23 cm

Straight

- 30-145
- 30-146
- 30-147
- 30-148
- 30-149

Curved

METZENBAUM-FINO
30-140 to 30-149



MAYO-STILLE
30-150 to 30-153

- 30-150 15 cm
- 30-151 17 cm
- 30-152
- 30-153

Straight

Curved



LISTER
30-154 to 30-159


- 30-154 9 cm
- 30-155 11 cm
- 30-156 14 cm
- 30-157 16 cm
- 30-158 18 cm
- 30-159 20 cm



BRUNS
30-160
24 cm Serrated

Instruments with Tungsten Carbide Inserts



TC GOLD




WANGENSTEEN
30-161 to 30-163



POTTS-SMITH
30-164 to 30-168




CUSHING
30-178
18 cm




ADSON
30-179 to 30-182



MICRO ADSON
30-183 to 30-184



DE BAKAY
30-185 to 30-190




CUSHING
30-191 to 30-193



- 30-194 15 cm
- 30-195 18 cm
- 30-196 20 cm
- 30-197 23 cm
- 30-198 25 cm
- 30-199 30 cm


Mini profile
Mini profil
Profil mini

CRILE-WOOD
30-194 to 30-199



- 30-200 14 cm
- 30-201 16 cm
- 30-202 18 cm
- 30-203 20 cm
- 30-204 24 cm
- 30-205 26 cm
- 30-206 30 cm
- 30-207 35 cm
- 30-208 40 cm
- 30-209 45 cm

MAYO-HEGAR
30-200 to 30-209



- 30-210 14 cm
- 30-211 16 cm
- 30-212 17 cm
- 30-213 19 cm

OLSEN-HEGAR
30-210 to 30-213



- 30-214 18 cm
- 30-215 20 cm
- 30-216 26 cm

SAROT
30-214 to 30-216

Instruments with Tungsten Carbide Inserts
TC GOLD




- 30-217 13 cm
- 30-218 15 cm
- 30-219 18 cm
- 30-220 20 cm
- 30-221 23 cm
- 30-222 26 cm

RYDER
30-217 to 30-222



- 30-223 18 cm
- 30-224 20 cm
- 30-225 23 cm
- 30-226 26 cm
- 30-227 31 cm
- 30-228 37 cm

DE BAKAY
30-223 to 30-228



- 30-229 12 cm
- Micro profile
Micro profil
Profil micro

OLSEN-HEGAR
30-229 to 30-233


- 30-230 14 cm
- 30-231 16 cm
- 30-232 17 cm
- 30-233 19 cm

Mini profile
Mini profil
Profil mini

Needle Holders

Instruments with Tungsten Carbide Inserts

TC GOLD



Instruments with Tungsten Carbide Inserts

TC GOLD



Kalt
88-434
13 cm / 5 1/4"
Standard mode
Delicate jaws




Castroviejo
88-435
12 cm / 4 3/4"



Castroviejo Barraquer
88-436
12 cm / 4 3/4"



Castroviejo
88-437
13 cm / 5"



88-438
With lock



88-439
Without lock



88-440
With lock



88-441
Without lock

Castroviejo
88-438 to 88-441
9 cm / 3 1/2"

Castroviejo
88-442 to 88-445
13.5 cm / 5 1/2"
Without lock



88-442



88-443



88-444



88-445




Mathieu
88-446 to 88-448



88-446
14 cm / 5 1/2"



88-447
17 cm / 6 3/4"



88-448
20 cm / 8"

Mini profile
Mini profile
Profile mini



Mathieu - Standard
88-449 to 88-451



88-449
14 cm / 5 1/2"



88-450
17 cm / 6 3/4"



88-451
20 cm / 8"



Mathieu
88-452 to 88-453



88-452
24 cm / 9 1/2"



88-453
24 cm / 9 1/2"



Lichtenberg
88-454
20 cm / 8"



0.5



Toennis
88-455
18 cm / 7"
Elastic pattern



0.5

Orthopedic wire cutting pliers




Instruments with Tungsten Carbide Inserts

TC GOLD



90-456
18 cm / 7"


For soft wires up to 2 mmØ
For hard wires up to 1.5 mmØ



90-457

22 cm / 8 3/4"

For soft wires up to 3.5 mm
For hard wires up to 2.5 mm



90-458

22 cm / 8 3/4"

For soft wires up to 2.6 mmØ
For hard wires up to 2.2 mmØ



90-459

14 cm / 5 1/2"

90-460

16 cm / 6 1/2"

90-461

18 cm / 7"

90-462

22 cm / 8 3/4"

For soft wires up to 3 mmØ
For hard wires up to 2.2 mmØ

TC wire cutter

For wire

90-463 38.5 cm / 15" 5 mm

90-464 45 cm / 17 3/4" 6 mm

90-465 56 cm / 22" 7.5 mm